Message

From: Cody, Ray [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=79AA01F2DD4C4AF59DC7F57C5D51D221-CODY, RAY]

Sent: 10/15/2014 1:30:13 PM

To: Saad, Dale [Dale.Saad@town.barnstable.ma.us]; Simpson, Karen [Simpson.Karen@epa.gov]; Parsons, Roger

[Roger.Parsons@town.barnstable.ma.us]

CC: Golden, Robert [Robert.Golden@town.barnstable.ma.us]

Subject: RE: Cape Stormwater BMP Kick-Off Meeting

hi Dale, let's figure on meeting at the office and presume that we will indeed car pool over to see and discuss the site. as i may have mentioned, i plan to develop an agenda so we might optimize use of office and field time. It may be that we don't need much office time; i'm certain we'll want the emphasis to be on the actual site. I plan on circulating this agenda well in advance of our meeting so it might benefit from collaborative input.

From: Saad, Dale [mailto:Dale.Saad@town.barnstable.ma.us]

Sent: Wednesday, October 15, 2014 9:27 AM

To: Simpson, Karen; Parsons, Roger **Cc:** Cody, Ray; Golden, Robert

Subject: RE: Cape Stormwater BMP Kick-Off Meeting

Hi Karen,

The kick-off meeting on Oct. 23 at 1:30 pm works for us. Location of the meeting will be on-site or do you need a conference room site first?

See you later today, Dale

Dale Saad, Ph.D.

Senior Project Manager Water and Sewer Barnstable DPW 382 Falmouth Road Hyannis, MA 02601 Phone 508-790-6400 X4941

Consider the environment before printing this email. \(\cdot\) \(\cdot\) \(\cdot\) \(\cdot\)

----Original Message----

From: Simpson, Karen [mailto:Simpson.Karen@epa.gov]

Sent: Wednesday, October 15, 2014 8:45 AM

To: Saad, Dale; Parsons, Roger

Cc: Cody, Ray

Subject: Cape Stormwater BMP Kick-Off Meeting

Hi Dale and Roger,

Regarding the kick-off meeting, are you available on October 23 at 1:30pm for the kick-off meeting with EPA and WaterVision? We are hoping to meet in Chatham in the morning and Barnstable in the afternoon on the 23rd.

Hope to see you later today at the Wareham press event!

Karen